

# GRADY-WHITE BOATS

1 9 9 2





Wiley Corbett (left), Eddie Smith (right)

# The 1992 Grady-Whites combine next-generation hull technology with our 34-year tradition of seaworthy safety.

Hello—

Thanks for considering a Grady-White boat for you and your family. The boats on the following pages include some of the most dramatic and exciting innovations in our history. If you, your family, and friends enjoy boating on large bodies of water, there's a safe, seaworthy Grady-White that fits your needs.

### A family-owned tradition.

Since the first wooden lapstrake Grady-Whites gained the respect of coastal fishermen in the late 50s, Grady-White has represented seaworthy safety and tough durability. We began concentrating on the needs of offshore fishing and cruising families in the 70s and 80s, and the 1992 Grady-Whites are the result of constant refinements under our 24 consecutive years of management.

### Next-generation SeaV<sup>2</sup> hull technology brings you a new level of comfort and safety.

We've incorporated SeaV<sup>2</sup> continuously variable deadrise vee hull designs into all offshore Grady-Whites 22 feet and larger. Model for model, they are the softest, driest, most stable, best tracking boats you've ever ridden.

The secret of the Grady-White SeaV<sup>2</sup> is that the vee continuously sharpens from 20° at the transom to the high 50°s at the sharp forward entry. That means a SeaV<sup>2</sup> hull design slices through rough water with ease and remains rock solid stable at rest.

### Your confidence is reinforced by our 5-year hull warranty.\*

The seaworthy safety and structural integrity of your 1992 Grady-White is covered by our 5-year limited warranty. Plus, it's administered by your Grady-White dealer. We know your dealer and his or her family personally and there is none better in the marine industry.

Grady-Whites are built by dedicated craftsmen in our 300,000-square foot facility in Greenville, North Carolina. If you are ever in Eastern North Carolina please arrange for a full guided tour. You'll see that, as a serious boater, sooner or later you'll own a Grady-White.

Happy boating!

Sincerely,

*Eddie Smith, Jr.*

Eddie C. Smith Jr., chairman and CEO


*Wiley B. Corbett*

Wiley B. Corbett, president

\*5-Year Limited Warranty. See your dealer for complete details.

Offshore Grady-Whites 22 feet and larger have next-generation SeaV<sup>2</sup> hulls which produce the softest, driest, most stable rough water performance ever offered in a series of offshore boats.

Yamaha outboard engines are available factory-rigged, complete with wiring, harnesses, and cables.



In the 300,000-square foot, dust free, air conditioned Grady-White plant, we combine advanced production technology with a dedication to quality that is the basis of our boat building tradition.




**1.** Your boat begins when the smooth, durable gel coat finish is sprayed into the highly polished molds in dust free booths. This polyester resin forms the outer surface and color of a Grady-White.



**2.** Layer upon layer of fiberglass is painstakingly hand laid upon the gel coat surface. Though labor intensive and expensive, hand lay-up assures the computer monitored glass-to-resin ratios and uniform thickness that make Grady-Whites stronger and more durable than boats using chopped glass.



**3.** Stringer systems are encapsulated in resin and fiberglass to the hull before the foam flotation is sprayed into strategic cavities. This gives a Grady-White lasting strength, safety, and shape.



Sharp forward SeaV<sup>2</sup> entry has over 55° of deadrise vee.

Under the helm area, a SeaV<sup>2</sup> hull has over 30° of deadrise vee.

At the transom, the SeaV<sup>2</sup> hull has 20° of deadrise vee combined with wide chines for stability.



**4.** The heat of the polymer reaction is allowed to dissipate for many hours as the boat "cures" in its mold. This curing time ensures that your Grady-White will always retain its original shape for optimum performance and lasting durability, and is fundamental to our limited production.



**5.** Standard deck hardware is 316L stainless steel with much more nickel and chromium than the 304 stainless steel used by competitive boats. Even the through-bolts and locking nuts used to secure hardware are this laboratory grade stainless to resist the elements.



**8.** Each boat is thoroughly washed and cleaned before the tough final inspection. Cabin boats receive a 15 minute shower check for cabin leaks. Then as many as 150 checkpoints are passed before the boat is ready for shipment. The result is a safe, durable craft you and your family will enjoy for years to come.



**7.** After windshield systems and hardscapes are installed, blue acrylic canvas options are erected on the boat, each strap and fastener fitted before the canvas is repacked for shipment.



**6.** As the boat takes shape, cabin interiors are hand built, bulkheads are through-bolted, and maintenance free Duratrim is custom fitted by hand, making each Grady-White an original of the boat builders' art.

# Spirit 175



## 175 SPIRIT Outboard Aft Cockpit



Center Line Length	17'5"
Beam Amidships	7'5"
O/B Shaft Length	20"
Transom Width	7'4"
Hull Draft	12"
Bridge Clearance	4'9"
Maximum H.P.	140 h.p.
Weight	1500 lbs.

## STANDARD FEATURES

### COCKPIT & DECK

Stainless steel, through-bolted deck hardware  
Heavy-duty gunwale molding  
Stainless steel bow rail  
Bow vertical anchor locker  
Insulated fish box or dry storage area with overboard drain  
Raised casting platform  
Stainless steel steering wheel  
Pedestal chairs w/cushions  
Automatic bilge pump  
2 Aft rigging compartments  
2 Aft deck lift-out boxes  
48 gal. aluminum gas tank  
Mechanical steering  
NMMA approved  
2 Flush mounted rod holders  
International lighting  
Level flotation  
Self-bailing cockpit  
Horizontal rod racks

### CONSOLE FEATURES

Forward fish box w/aerated livewell  
Forward seat with cushions  
2 Lockable storage compartments  
Lockable helm station radio box  
Plexiglass windshield w/handrail  
6 Vertical rod holders


### FACTORY OPTIONS

#### GENERAL

Bow lifting ring  
Folding Bimini top with boot  
Swim platform w/ladder  
Bench seat w/reversible back



▲ Console with storage



# Tournament 19



## 190 TOURNAMENT Outboard Aft Cockpit



Center Line Length	18'11"
Beam Amidships	8'
O/B Shaft Length	25"
Transom Width	7'8"
Hull Draft	14"
Bridge Clearance	6'4"
Maximum H.P.	200 h.p.
Weight	2075 lbs.

## STANDARD FEATURES

### COCKPIT & DECK

Stainless steel, through-bolted deck hardware  
 Heavy-duty gunwale molding  
 Duratrim maintenance-free trimwork  
 Stainless steel bow rail  
 Forward anchor locker w/rope storage  
 Bow seat port storage compartment  
 Bow seat starboard icebox  
 2 Removable bow cushions  
 Lockable console storage compartments  
 Walk-thru windshield  
 Windshield wiper  
 Stainless steel steering wheel  
 Stainless steel horn  
 Covered instrument panel  
 Pedestal chairs w/cushions  
 Compass mount pad  
 Lockable helm station radio box  
 6 Drink holders  
 Lockable glove box  
 Companion grab rail  
 Cockpit lights  
 Cockpit side storage shelves  
 Removable aft seat cushions & backs  
 Automatic bilge pump  
 62 gallon aluminum gas tank  
 Mechanical steering  
 NMMA approved

International lighting  
 Level flotation

### FISHING

Non-skid fiberglass liner  
 Self-bailing cockpit  
 4 Flush mounted rod holders  
 Removable fishwell in cockpit floor  
 Cockpit toe rails  
 Horizontal rod racks


## FACTORY OPTIONS

### GENERAL

Deluxe helm chairs  
 Compass  
 Portable head  
 Bow lifting ring  
 Outrigger kit 15 feet (gunwale mount)  
 Chair gimbal  
 Sleeper seat  
 Swim platform w/ladder  
 Aerated livewell  
 Battery select switch  
 Hydraulic steering


### CANVAS

Folding top & side curtains w/boot  
 Aft curtain  
 Bow cover  
 Mooring cover  
 Covers for pedestal chairs



20' Center Console


# Fisherman 20



**204 FISHERMAN**  
Outboard Aft Cockpit



<b>Center Line Length</b>	<b>20'4"</b>
<b>Beam Amidships</b>	<b>8'</b>
<b>O/B Shaft Length</b>	<b>25"</b>
<b>Transom Width</b>	<b>7'10"</b>
<b>Hull Draft</b>	<b>14"</b>
<b>Bridge Clearance</b>	<b>5'7"</b>
<b>Maximum H.P.</b>	<b>230 h.p.</b>
<b>Weight</b>	<b>2245 lbs.</b>



## STANDARD FEATURES

### COCKPIT & DECK

- Stainless steel, through-bolted deck hardware
- Heavy-duty gunwale molding
- Duratrak maintenance-free trimwork
- Stainless steel bow rail
- Bow compartment rope locker
- Forward comp. for storage or a portable head
- Stainless steel steering wheel
- Stainless steel horn
- Pedestal chairs w/cushions
- Companion grab rail
- Cockpit lights
- Spring line cleats
- Cockpit side storage shelves
- Automatic bilge pump
- 2 Battery storage compartments
- 80 gallon aluminum gas tank
- Mechanical steering
- NMMA approved
- International lighting
- Basic flotation

### FISHING

- Non-skid fiberglass liner

- Fold-down motor well bulkhead
- Raised casting platform
- 2 Forward fish boxes w/ob drains
- Self-bailing cockpit
- 4 Vertical rod storage holders
- 2 Aft cockpit insulated fish boxes w/ob drain
- Horizontal rod racks
- 4 Flush mounted rod holders

### CONSOLE

- Forward icebox & seat cushions
- Lockable storage compartment
- Drink holder
- 3 Tackle drawers
- Lockable radio & chart recorder boxes w/weather-proof vinyl covers
- Plexiglass windshield w/handrail

## FACTORY OPTIONS

### GENERAL

- Deluxe helm chairs
- Compass
- Lean bar w/86 qt. cooler & stainless rod holders
- T-top frame w/canvas top
- T-top outriggers: 11 1/2 feet (t-top mount)

- Outrigger kit 15 feet (gunwale mount)
- Portable head
- Bow lifting ring
- Chain deck pipe fitting
- Chair gimbal
- Aerated livewell
- Washdown pump w/hose
- Swim platform w/ladder
- YAMAHA/OMC/MERC single binnacle control
- Hydraulic steering
- Hydraulic trim tabs
- Battery select switch
- Console mounted freshwater system w/10 gallon tank


### CANVAS

- Mooring cover
- Covers for pedestal chairs
- Folding "Bimini" top w/boot
- Casting platform sprayhood w/boot
- Casting platform privacy curtain
- Connector top to sprayhood
- Console cover
- T-top curtains

# Overnighter 20



▲ Cockpit forward



## STANDARD FEATURES

CABIN	204C	205	206G
Recessed, non-skid walkway around entire cabin	X	X	X
Forward hatch w/seat cushions	X	X	X
2 Sliding side windows w/screens	X	X	X
Headliner	X	X	X
4 Rod storage holders	X	X	X
2 Berths	X	X	X
3 Underberth storage compartments	X	X	X
Lamp	X	X	X
2 Side storage shelves	X	X	X
Forward storage shelf	X	X	X
Storage compartment for marine head	X	X	X
Fabric-covered foam berth cushions	X	X	X
Lockable door	X	X	X
COCKPIT & DECK	204C	205	206G
Stainless steel, through-bolted deck hardware	X	X	X
Heavy-duty gunwale molding	X	X	X
Duratrим maintenance-free trimwork	X	X	X
Stainless steel bow rail	X	X	X
Ventilated windshield	X	X	X
Windshield wiper	X	X	X



OVERNIGHTER 20	
Center Line Length	20'4"
Beam Amidships	8'
Transom Width	7'10"
Hull Draft	14"
Bridge Clearance (add 21" w/hardtop)	5'7"



204-C OVERNIGHTER Outboard Aft Cockpit	
O/B Shaft Length	25"
Maximum H.P.	230 h.p.
Weight	2550 lbs.



205 OVERNIGHTER Inboard/Outboard Aft Cockpit	
Weight (w/180 h.p.)	3380 lbs.



206G OVERNIGHTER Grady Drive Aft Cockpit	
O/B Shaft Length	25"
Maximum H.P.	230 h.p.
Weight	2715 lbs.



▲ Helm station



▲ Insulated fish box



▲ Recessed walkway and helm area



▲ Cabin interior

	204C	205	206G
Stainless steel steering wheel	X	X	X
Forward anchor locker w/rope storage	X	X	X
Stainless steel horn	X	X	X
Compass mount pad	X	X	X
Covered instrument panel	X	X	X
Pedestal chairs w/cushions	X	X	X
Helm & companion footrests	X	X	X
Helm & companion side shelves	X	X	X
Drink holders	4	6	4
Companion grab rail	X	X	X
Lockable helm station radio box	X	X	X
Cockpit lights	X	X	X
Spring line cleats	X	X	X
Removable aft seat cushions & backs	X	X	X
Aft seat handrails	X		
Automatic bilge pump	X	X	X
2 Battery compartments	X	X	X
80 gallon aluminum gas tank	X	X	X
Mechanical steering	X		
Power steering		X	
Hydraulic steering			X
NMMA approved	X	X	X
International lighting	X	X	X
Basic flotation	X	X	X

FISHING	204C	205	206G
Non-skid fiberglass liner	X	X	X
Self-bailing cockpit w/4 floor drains	X	X	X
Vertical rod storage holders	6	10	10
Lockable storage under helm chair & 2 tackle drawers under companion chair	X	X	X
2-70 qt. cockpit fish boxes w/ob drains	X	X	X
2 Removable aft wells	X		
1-40 qt. aft fish box w/optional recirculating livewell	X		
4 Flush mounted rod holders	X	X	X
Insulated engine box w/drink holders	X		
Rigging area w/cut. board & drink holders	X	X	
1-60 qt. aft fish box w/optional recirculating livewell			X

### FACTORY OPTIONS

GENERAL	204C	205	206G
Compass	X	X	X
Hardtop w/radio box	X	X	X
Hardtop rod holders	X	X	X
Hardtop spreader lights	X	X	X
Windshield wiper (port side)	X	X	X
Outrigger kit 15 feet (gunwale mount)	X	X	X
Outrigger kit 15 feet (hardtop mount)	X	X	X

	204C	205	206G
Fiberglass bow pulpit	X	X	X
Portable head	X	X	X
Head w/deck pump out	X	X	X
Bow lifting ring	X	X	X
Chair gimbals	X	X	X
Aerated livewell	X	X	X
Washdown pump w/hose	X	X	X
Combination washdown/recirculating livewell	X		X
Swim platform w/ladder	X	X	X
Transom wide swim platform w/ladder			X
YAMAHA/OMC/MERC single binnacle control	X		X
Hydraulic steering	X		
Hydraulic trim tabs	X	X	X
Battery select switch	X	X	X
Gunwale mounted freshwater system w/10 gallon tank	X		X

CANVAS	204C	205	206G
Folding top & side curtains w/boot	X	X	X
Drop curtain	X	X	X
Helm station cover	X	X	X
Mooring cover	X	X	X
Covers for pedestal chairs	X	X	X
Hardtop curtains	X	X	X



## SEAFARER 22

Center Line Length	22'
Beam Amidships	8'
Transom Width	7'10"
Hull Draft	14"
Bridge Clearance (add 21" w/hardtop)	6'4"

### 226 SEAFARER Outboard Aft Cockpit



O/B Shaft Length	25"
Maximum H.P.	280 h.p.
Weight	2875 lbs.

### 227 SEAFARER Inboard/Outboard Aft Cockpit



Weight (w/180 h.p.)	3705 lbs.
---------------------	-----------

### 228G SEAFARER Grady Drive Aft Cockpit



O/B Shaft Length	25"
Maximum H.P.	280 h.p.
Weight	3000 lbs.



▲ Helm station



▲ Insulated fish box



▲ Rod storage and toe rail



▲ Cabin interior



▲ Cabin model Grady-Whites 20'-25' are available with reliable stern drive power.

## STANDARD FEATURES

CABIN	226	227	228G
Recessed, non-skid walkway around entire cabin	X	X	X
Forward hatch w/seat cushions	X	X	X
2 Fixed front windows	X	X	X
2 Sliding side windows w/screens	X	X	X
Headliner	X	X	X
4 Rod storage holders	X	X	X
2 Berths	X	X	X
3 Underberth storage compartments	X	X	X
Bow compartment rope locker	X	X	X
Lamp	X	X	X
2 Side storage shelves	X	X	X
Storage comp. for marine head	X	X	X
Fabric-covered foam berth cushions	X	X	X
Lockable door w/companionway hatch	X	X	X
COCKPIT & DECK	226	227	228G
Stainless steel, through-bolted hardware	X	X	X
Heavy-duty gunwale molding	X	X	X
Duratrим maintenance-free trimwork	X	X	X
Bow lifting ring	X	X	X
Stainless steel bow rail	X	X	X
Forward anchor locker w/rope storage	X	X	X
Ventilated windshield	X	X	X
Windshield wiper	X	X	X
Stainless steel steering wheel	X	X	X
Stainless steel horn	X	X	X
Compass mount pad	X	X	X

	226	227	228G
Covered instrument panel	X	X	X
Pedestal chairs w/cushions	X	X	X
Helm & companion footrests	X	X	X
Helm & companion side shelves	X	X	X
Drink holders	2	6	4
Companion grab rail	X	X	X
Lockable helm station radio box	X	X	X
Cockpit lights	X	X	X
Spring line cleats	X	X	X
Cockpit side storage shelves	X	X	X
2 Fish box cushions	X	X	X
Removable aft seat cushions & backs	X	X	X
2 Automatic bilge pumps	X	X	X
2 Battery storage compartments	X	X	X
93 gallon aluminum gas tank	X	X	X
Mechanical steering	X		
Power steering		X	
Hydraulic steering			X
NMMA approved	X	X	X
International lighting	X	X	X
Basic flotation	X	X	X
FISHING	226	227	228G
Non-skid fiberglass liner	X	X	X
Self-bailing cockpit w/4 floor drains	X	X	X
4 Vertical rod storage holders	X	X	X
Horizontal rod racks	X	X	X
4 Flush mounted rod holders	X	X	X
Tackle drawers under both helm and companion chairs	X	X	X

	226	227	228G
190 qt. fish box or storage comp. behind helm chair w/ob drain	X	X	X
Divided fish boxes behind comp. chair, both w/ob drain			X
1-90 qt. section	X		X
1-90 qt. section w/optional recirculating livewell		X	
1-45 qt. section w/optional aerated livewell	X	X	X
Cockpit toe rails	X	X	X
2 Aft cockpit round insulated fish boxes w/opt. livewell	X		
Insulated engine box w/drink holders			X
Rigging area w/cut. board & drink holders			X
Fold-down motor well bulkhead	X		X
1-60 qt. aft fish box w/optional recirculating livewell			X

## FACTORY OPTIONS


GENERAL	226	227	228G
Tilt steering	X	X	X
Deluxe helm chairs	X	X	X
Hardtop w/radio box	X	X	X
Compass	X	X	X
Hardtop rod holders	X	X	X
Hardtop spreader lights	X	X	X
Fiberglass bow pulpit	X	X	X
Windshield wiper (port side)	X	X	X
Outtrigger kit 15 feet (gunwale mount)	X	X	X

# Seafarer 22



	226	227	228G
Outrigger kit 15 feet (hardtop mount)	X	X	X
Portable head	X	X	X
Head w/deck pump out	X	X	X
Chair gimbal	X	X	X
Cockpit bolsters	X	X	X
Aft cushion seat			X
Aft cushion seat w/back	X		
Aerated livewell	X	X	X
Combination washdown/recirculating livewell	X	X	X
Gunwale mounted fresh water system w/10 gallon tank	X	X	X
Swim platform w/ladder	X	X	X
Transom width swim platform w/ladder	X	X	X
Auxiliary gas tank--55 gallon	X		X
YAMAHA/OMC/MERC binnacle control	X		X
YAMAHA/OMC/MERC dual bin. control	X		X
Hydraulic trim tabs	X	X	X
Hydraulic steering	X		X
Battery select switch	X	X	X
Transom modification (twins)	25"		

CANVAS	226	227	228G
Folding top & side curtains w/boot	X	X	X
Drop curtain	X	X	X
Helm station cover	X	X	X
Mooring cover	X	X	X
Covers for pedestal chairs	X	X	X
Hardtop curtains	X	X	X



▲ Cockpit forward


# Tournament 22



## 225G TOURNAMENT Grady Drive Aft Cockpit



Center Line Length	22'
Beam Amidships	8'
O/B Shaft Length	25"
Transom Width	7' 10"
Hull Draft	14"
Bridge Clearance	6' 4"
Maximum H.P.	230 h.p.
Weight	3000 lbs.



- Anchor locker
- Storage
- Insulated box
- Tackle drawers
- Console storage
- Glove box
- Divided, 90 qt. and 45 qt. fish box
- 190 qt. fish box
- Rod racks
- Self bailing cockpit
- 93 gal. underdeck gas tank
- Vertical rod storage
- Rigging area
- 60 qt. fish box



## STANDARD FEATURES

### COCKPIT & DECK

Stainless steel, through-bolted deck hardware  
 Heavy-duty gunwale molding  
 Duratrim maintenance-free trimwork  
 Bow lifting ring  
 Stainless steel bow rail  
 Forward anchor locker w/rope storage  
 Bow seat port storage compartment  
 Bow seat starboard ice box  
 2 Removable bow cushions  
 Lockable console tackle drawers  
 Walk-thru windshield  
 Windshield wiper  
 Stainless steel steering wheel  
 Stainless steel horn  
 Covered instrument panel  
 Helm footrest  
 Pedestal chairs w/cushions  
 Lockable helm station radio box  
 6 Drink holders  
 Lockable glove box  
 Companion grab rail  
 Cockpit lights

Spring line cleats  
 2 Fish box cushions  
 Removable aft seat cushions and backs  
 Automatic bilge pump  
 2 Battery storage compartments  
 93 gallon aluminum gas tank  
 Hydraulic steering  
 NMMA Approved  
 International lighting  
 Basic foam flotation

### FISHING

Non-skid fiberglass liner  
 Self-bailing cockpit w/4 floor drains  
 4 Vertical rod storage holders  
 Horizontal rod racks  
 4 Flush mounted rod holders  
 190 qt. fish box or storage compartment behind helm chair w/ob drain  
 Divided fish boxes behind companion chair, both w/ob drain  
 1-90 qt. section, 1-45 qt. section  
 Cockpit toe rails  
 Rigging area w/cutting board and drink holders  
 1-60 qt. aft fish box

## FACTORY OPTIONS

### GENERAL

Deluxe helm chairs  
 Sleeper seat  
 Compass  
 Fiberglass bow pulpit  
 Outrigger kit 15 feet (gunwale mount)  
 Chair gimbal  
 Cockpit bolsters  
 Swim platform w/ladder  
 Transom width swim platform w/ladder  
 55 gallon auxiliary gas tank  
 YAMAHA/OMC/MERC binnacle control  
 Battery select switch  
 Gunwale mounted freshwater system  
 Hydraulic trim tabs  
 Combination washdown/recirculating livewell


### CANVAS

Folding top and side curtain w/boot  
 Drop curtain  
 Mooring cover  
 Covers for pedestal chairs  
 Bow cover

# Gulfstream 23



▲ Cockpit forward



## STANDARD FEATURES

CABIN	230	231	232G
Recessed, non-skid walkway around entire cabin	X	X	X
Forward hatch w/seat cushions	X	X	X
2 Fixed front windows	X	X	X
2 Sliding side windows w/screens	X	X	X
Headliner	X	X	X
2 Rod storage holders	X	X	X
Sink w/fresh water system	X	X	X
2 Berths (upper and lower)	X	X	X
Fabric-covered foam berth cushions	X	X	X
Under berth storage compartment	X	X	X
Forward storage compartment	X	X	X
Storage compartment (port side)	X	X	X
Storage compartment under step	X	X	X
Storage compartment for marine head	X	X	X
Lamp	X	X	X
Insulated ice box w/ob drain	X	X	X
Undersink storage compartment	X	X	X
Lockable door w/companionway hatch	X	X	X
Cabin door screens	X	X	X
Mirror	X	X	X
COCKPIT & DECK	230	231	232G
Stainless steel, through-bolted hardware	X	X	X
Heavy-duty gunwale molding	X	X	X
Duratrим maintenance-free trimwork	X	X	X
Bow lifting ring	X	X	X
Stainless steel bow rail	X	X	X



### GULFSTREAM 23

Center Line Length	23'5"
Beam Amidships	9'3"
Transom Width	8'10"
Hull Draft	17"
Bridge Clearance (add 21" w/hardtop)	6'5"

### 230 GULFSTREAM Outboard Aft Cockpit



O/B Shaft Length	25"
Maximum H.P.	350 h.p.
Weight	3900 lbs.

### 231 GULFSTREAM Inboard/Outboard Aft Cockpit



Weight (w/260 h.p.)	5000 lbs.
---------------------	-----------

### 232G GULFSTREAM Grady Drive Aft Cockpit



O/B Shaft Length	25"
Maximum H.P.	350 h.p.
Weight (232G-single)	4025 lbs.
Weight (232G-twin)	4092 lbs.



▲ Helm station



▲ Insulated livewell/fish box



▲ Cabin interior, berth lowered



▲ Starboard tackle drawers



	230	231	232G
Forward anchor locker w/rope storage	X	X	X
Ventilated windshield	X	X	X
Windshield wiper	X	X	X
Stainless steel steering wheel	X	X	X
Stainless steel horn	X	X	X
Compass mount pad	X	X	X
Covered instrument panel	X	X	X
Covered accessory switch panel	X	X	X
Pedestal chairs w/cushions	X	X	X
Helm & companion footrests	X	X	X
Helm & companion side shelves	X	X	X
Drink holders	2	4	2
Companion grab rails	X	X	X
Lockable helm station radio box	X	X	X
Cockpit lights	X	X	X
Spring line cleats	X	X	X
2 Fish box cushions	X	X	X
2 Automatic bilge pumps	X	X	X
2 Battery storage compartments	X	X	X
148 gallon aluminum gas tank capc.	X	X	X
1-93 gallon tank	X	X	X
1-55 gallon tank	X	X	X
Power steering		X	
Hydraulic steering	X		X
NMMA approved	X	X	X
International lighting	X	X	X
Basic flotation	X	X	X
Hydraulic trim tabs	X	X	X

FISHING	230	231	232G
Non-skid fiberglass liner	X	X	X
Self-bailing cockpit w/4 floor drains	X	X	X
Vertical rod storage holders		4	
2 Tackle drawers under comp. chair	X	X	X
2 Tackle trays under helm chair	X	X	X
265 qt. insulated fish box behind helm chair	X	X	X
130 qt. recirculating livewell behind companion chair	X	X	X
Horizontal rod racks	X	X	X
4 Flush mounted rod holders	X	X	X
Cockpit toe rails	X	X	X
1 Removable aft-deck well		X	X
2 Insulated aft-deck wells w/ob drain	X		
Fold-down motor well bulkhead	X		
Washdown pump w/hose	X	X	X
5 foot aft-deck fish box		X	X

### FACTORY OPTIONS

GENERAL	230	231	232G
Tilt steering	X	X	X
Deluxe helm chairs	X	X	X
Compass	X	X	X
Hardtop w/radio box	X	X	X
Hardtop rod holders	X	X	X
Hardtop spreader lights	X	X	X
Windshield wiper (port side)	X	X	X
Outrigger kit 15 feet (gunwale mount)	X	X	X
Outrigger kit 15 feet (hardtop mount)	X	X	X

	230	231	232G
Outriggers 18 ft. (Lee Jr., cabin side mt.)	X	X	X
Folding cabin racks for 6 rods	X	X	X
Portable head	X	X	X
Head w/deck pump out	X	X	X
Fiberglass bow pulpit	X	X	X
Chair gimbal	X	X	X
Cockpit bolsters	X	X	X
Aft cushion seat			X
Aft cushion seats w/back	X		
Swim platform w/ladder	X	X	X
Transom width swim platform w/ladder			X
Lower berth filler cushions	X	X	
YAMAHA/OMC/MERC binnacle control	X		X
YAMAHA/OMC/MERC dual bin. control	X		X
Transom modification (single)	25"		
Grady Drive (twins)			X
183 gallon aluminum gas tank capc.			
93 and 90 gal. tanks (twins only)	X		X
Battery select switch	X	X	X
Gunwale mounted fresh water system w/10 gallon tank	X	X	X


CANVAS	230	231	232G
Folding top & side curtains w/boot	X	X	X
Drop curtain	X	X	X
Helm station cover	X	X	X
Covers for pedestal chairs	X	X	X
Hardtop curtains	X	X	X

# Explorer 24

## EXPLORER 24

Center Line Length	24'1"
Beam Amidships	8'3"
Transom Width	7'10"
Hull Draft	16"
Bridge Clearance (add 21" w/hardtop)	6'4"

### 244 EXPLORER Outboard Aft Cockpit



O/B Shaft Length	25"
Maximum H.P.	300 h.p.
Weight	3400 lbs.

### 245 EXPLORER Inboard/Outboard Aft Cockpit



Weight	4500 lbs.
--------	-----------


### 246G EXPLORER Grady Drive Aft Cockpit



O/B Shaft Length	25"
Maximum H.P.	300 h.p.
Weight (246G-single)	3525 lbs.
Weight (246G-twin)	3592 lbs.




▲ Cockpit forward



## STANDARD FEATURES

CABIN	244	245	246G
Recessed, non-skid walkway around entire cabin	X	X	X
Forward hatch w/seat cushions	X	X	X
2 Fixed front windows	X	X	X
2 Sliding side windows w/screens	X	X	X
Headliner	X	X	X
4 Rod storage holders	X	X	X
Sink w/10 gallon fresh water system	X	X	X
Under sink storage	X	X	X
2 Forward vee berths	X	X	X
Underberth storage compartments	X	X	X
Bow compartment rope locker	X	X	X
Lamp	X	X	X
2 Side storage shelves	X	X	X
Storage compartment for marine head	X	X	X
Fabric-covered foam berth cushions	X	X	X
Lockable door w/companionway hatch	X	X	X
Mirror	X	X	X
COCKPIT & DECK	244	245	246G
Stainless steel, through-bolted deck hardware	X	X	X
Heavy-duty gunwale molding	X	X	X
Duratrим maintenance-free trimwork	X	X	X
Bow lifting ring	X	X	X
Stainless steel bow rail	X	X	X
Forward anchor locker w/rope storage	X	X	X
Ventilated windshield	X	X	X
Windshield wiper	X	X	X



▲ Helm station



▲ Port livewell/bait box with aft facing seat



▲ Insulated fish box



▲ Cabin interior w/optional rod racks

	244	245	246G
Stainless steel steering wheel	X	X	X
Stainless steel horn	X	X	X
Compass mount pad	X	X	X
Covered instrument panel	X	X	X
Pedestal chairs w/cushions	X	X	X
Helm and companion footrests	X	X	X
Helm and companion side shelves	X	X	X
6 Drink holders	X	X	X
Companion grab rail	X	X	X
Lockable helm station radio box	X	X	X
Cockpit lights	X	X	X
Spring line cleats	X	X	X
Cockpit side storage shelves	X	X	X
Port aft facing seat w/cushions	X	X	X
Starboard fish box cushion	X	X	X
Removable aft seat cushions	X	X	X
2 Automatic bilge pumps	X	X	X
2 Battery storage compartments	X	X	X
93 gallon aluminum gas tank	X	X	X
107 gallon aluminum gas or diesel tank	X	X	X
Mechanical steering	X		
Power steering		X	
Hydraulic steering			X
NMMA approved	X	X	X
International lighting	X	X	X
Basic flotation	X	X	X
Hydraulic trim tabs	X	X	X

FISHING	244	245	246G
Non-skid fiberglass liner	X	X	X
Self-bailing cockpit w/4 floor drains	X	X	X
Horizontal rod racks	X	X	X
4 Flush mounted rod holders	X	X	X
2 Tackle drawers under companion seat	X	X	X
Dry storage under helm seat	X	X	X
190 qt. fish box or storage compartment behind helm chair w/ob drain	X	X	X
Divided fish boxes behind companion chair, both w/ob drain	X	X	X
1-104 qt. section w/optional recirculating livewell	X	X	X
1-25 qt. section	X	X	X
Cockpit toe rails, port & starboard	X	X	X
Insulated engine box w/drink holders	X	X	
Rigging area w/cutting board and drink holders		X	X
Fold-down motor well bulkhead	X		
60 qt. aft insulated fish box			X

### FACTORY OPTIONS

GENERAL	244	245	246G
Compass	X	X	X
Hardtop w/radio box	X	X	X
Hardtop rod holders	X	X	X
Hardtop spreader lights	X	X	X
Fiberglass bow pulpit	X	X	X
Tilt steering	X	X	X
Windshield wiper (port side)	X	X	X

	244	245	246G
Folding cabin racks for 6 rods	X	X	X
Outrigger kit 15 feet (gunwale mount)	X	X	X
Outrigger kit 18 feet (Lee Jr., cabin side mt.)	X	X	X
Portable head	X	X	X
Head w/deck pump out	X	X	X
Deluxe helm chairs	X	X	X
Chair gimbal	X	X	X
Cockpit bolsters	X	X	X
Aft cushion seat			X
Aft cushion seat w/back	X		
Washdown/recirculating livewell	X	X	X
Gunwale mounted fresh water system	X	X	X
Swim platform w/ladder	X	X	X
Transom width swim platform w/ladder	X	X	X
Auxiliary gas tank - 55 gallon	X		
YAMAHA/OMC/MERC single bin. control	X		X
YAMAHA/OMC/MERC dual bin. control			X
Hydraulic steering	X		
Grady Drive (twins)			X
Battery select switch	X	X	X

CANVAS	244	245	246G
Folding top & side curtains w/boot	X	X	X
Drop curtain	X	X	X
Helm station cover	X	X	X
Covers for pedestal chairs	X	X	X
Hardtop curtains	X	X	X

## SAILFISH 25

Center Line Length	25'4"
Beam Amidships	9'6"
Transom Width	9'
Hull Draft	19"
Bridge Clearance (add 21" w/hardtop)	7'10"

### 255 SAILFISH Outboard Aft Cockpit




O/B Shaft Length	25"
Maximum H.P.	400 h.p.
Weight	5125 lbs.

### 254 SAILFISH Inboard/Outboard Aft Cockpit



Weight (w/260 h.p.)	6025 lbs.
---------------------	-----------

### 252G SAILFISH Grady Drive Aft Cockpit



O/B Shaft Length	25"
Maximum H.P.	400 h.p.
Weight (252G-twin)	5300 lbs.




▲ Insulated livewell/fish box




▲ Head enclosure



▲ Cabin interior



▲ Cabin galley



## STANDARD FEATURES

CABIN	255	254	252G
Recessed, non-skid walkway around entire cabin	X	X	X
Forward hatch w/seat cushions	X	X	X
2 Fixed front windows	X	X	X
2 Sliding side windows w/screens	X	X	X
Headliner	X	X	X
4 Rod storage holders	X	X	X
3 Underberth storage compartments	X	X	X
Bow compartment rope locker	X	X	X
Galley cabinets, port	X	X	X
2 Sinks w/pressurized water system	X	X	X
32 gallon water tank	X	X	X
Fold-down alcohol stove	X	X	X
Built-in icebox	X	X	X
Table	X	X	X
Head enclosure w/lamp	X	X	X
Lamps in cabin	X	X	X
2 Side storage shelves	X	X	X
Vee berths forward w/fabric-covered cushions	X	X	X
Aft berth w/vinyl covered cushions	X	X	X
Lockable door w/companionway hatch	X	X	X
COCKPIT & DECK	255	254	252G
Stainless steel, through-bolted deck hardware	X	X	X
Heavy-duty gunwale molding	X	X	X
Duratrим maintenance-free trimwork	X	X	X

	255	254	252G
Bow lifting ring	X	X	X
Stainless steel bow rail	X	X	X
Forward anchor locker w/rope storage	X	X	X
Ventilated windshield	X	X	X
Windshield wiper	X	X	X
Stainless steel steering wheel	X	X	X
Stainless steel horn	X	X	X
Compass mount pad	X	X	X
Covered instrument panel	X	X	X
Pedestal chairs w/cushions	X	X	X
Helm & companion footrests	X	X	X
Helm & companion side shelves	X	X	X
Drink holders	2	4	2
Companion grab rails	X	X	X
Lockable helm station radio box	X	X	X
Cockpit lights	X	X	X
Spring line cleats	X	X	X
Cockpit toe rails	X	X	X
2 Fish box cushions	X	X	X
2 Automatic bilge pumps	X	X	X
2 Battery storage compartments	X	X	X
150 gallon aluminum gas tank		X	
202 gallon aluminum gas tank capc. 1-150 gallon tank — 1-52 gallon tank	X		X
Power steering		X	
Hydraulic steering	X	X	X
Hydraulic trim tabs	X	X	X
NMMA approved	X	X	X
Windlass wiring	X	X	X
International lighting	X	X	X

	255	254	252G
Basic flotation	X	X	X
FISHING	255	254	252G
Non-skid fiberglass liner	X	X	X
Self-bailing cockpit w/4 floor drains	X	X	X
Vertical rod storage holders		4	
Lockable storage under helm chair & 2 tackle drawers under comp. chair	X	X	X
38 qt. insulated ice box behind companion chair w/ob drain	X	X	X
260 qt. insulated fish box behind helm chair w/ob drain	X	X	X
104 qt. insulated livewell/fish box behind comp. chair w/ob drain	X	X	X
Horizontal rod racks	X	X	X
4 Flush mounted rod holders	X	X	X
2 Insulated aft-deck wells w/ob drain	X		
Fold-down motor well bulkhead	X		
Washdown pump w/hose	X	X	X
5 foot aft-deck fish box	X	X	X
Battery select switch		X	

## FACTORY OPTIONS

GENERAL	255	254	252G
Tilt steering	X	X	X
Deluxe helm chairs	X	X	X
Compass	X	X	X
Hardtop w/radio box	X	X	X
Hardtop rod holders	X	X	X
Hardtop spreader lights	X	X	X




# Sailfish 25

## SPORTBRIDGE




	255	254	252G
Windshield wiper (port side)	X	X	X
Outrigger kit 15 feet (gunwale mount)	X	X	X
Outrigger kit 15 feet (hardtop mount)	X	X	X
Outrigger 18 ft. (Lee Jr., cabin side mount)	X	X	X
Portable head	X	X	X
Head w/deck pump out	X	X	X
Marine head w/holding tank, pump out	X	X	X
Fiberglass bow pulpit	X	X	X
Chair gimbal	X	X	X
Cockpit bolsters	X	X	X
Swim platform w/ladder	X	X	X
Transom width swim platform w/ladder			X
Aft cushion seat			X
Aft cushion seat w/back	X		
YAMAHA/OMC/MERC dual binnacle control	X	X	X
Shower	X	X	X
Hot water heater—110V—requires dockside power	X	X	X
Galvanic isolator—requires dockside power	X	X	X
Dockside power	X	X	X
Battery select switch	X	X	X
Gunwale mounted fresh water system	X	X	X
Folding cabin racks for 6 rods	X	X	X
129 gallon diesel gas tank		X	
<b>CANVAS</b>			
Folding top & side curtains w/boot	X	X	X
Drop curtain	X	X	X
Helm station cover	X	X	X
Covers for pedestal chairs	X	X	X
Hardtop curtains	X	X	X




▲ Cockpit forward

# Dolphin 25



▲ Cockpit forward



## STANDARD FEATURES

	250	251	253G
<b>CABIN</b>			
Recessed, non-skid walkway around entire cabin	X	X	X
Forward hatch w/seat cushions	X	X	X
2 Fixed front windows	X	X	X
2 Sliding side windows w/screens	X	X	X
Headliner	X	X	X
2 Rod storage holders	X	X	X
Sink w/10 gallon fresh water system	X	X	X
2 Berths (upper and lower)	X	X	X
Fabric-covered foam berth cushions	X	X	X
Underberth storage compartment	X	X	X
Forward storage compartment	X	X	X
Storage compartment (port side)	X	X	X
Storage compartment under step	X	X	X
Storage compartment for marine head	X	X	X
Lamp	X	X	X
Insulated ice box w/ob drain	X	X	X
Undersink storage compartment	X	X	X
Lockable door w/companionway hatch	X	X	X
Cabin door and fwd. hatch screens	X	X	X
Mirror	X	X	X
<b>COCKPIT &amp; DECK</b>			
Stainless steel, through-bolted hdw.	X	X	X
Heavy-duty gunwale molding	X	X	X
Duratrim maintenance-free trimwork	X	X	X
Bow lifting ring	X	X	X
Stainless steel bow rail	X	X	X
Forward anchor locker w/rope storage	X	X	X



### DOLPHIN 25

Center Line Length	25'4"
Beam Amidships	9'6"
Transom Width	9'
Hull Draft	19"
Bridge Clearance (add 21" w/hardtop)	7'10"



**250 DOLPHIN**  
Outboard Aft Cockpit

O/B Shaft Length	25"
Maximum H.P.	400 h.p.
Weight	5125 lbs.



**251 DOLPHIN**  
Inboard/Outboard Aft Cockpit

Weight (w/260 h.p.)	6025 lbs.
---------------------	-----------



**253G DOLPHIN**  
Grady Drive Aft Cockpit

O/B Shaft Length	25"
Maximum H.P.	400 h.p.
Weight (253G-twin)	5300 lbs.



▲ Helm station



▲ Starboard cockpit sink, tackle drawers



▲ Aft insulated fish box



▲ Cabin interior, berth raised

	250	251	253G
Ventilated windshield	X	X	X
Windshield wiper	X	X	X
Stainless steel steering wheel	X	X	X
Stainless steel horn	X	X	X
Compass mount pad	X	X	X
Covered instrument panel	X	X	X
Pedestal chairs w/cushions	X	X	X
Helm & companion footrests	X	X	X
Helm & companion side shelves	X	X	X
Drink holders	2	4	2
Companion grab rails	X	X	X
Lockable helm station radio box	X	X	X
Cockpit lights	X	X	X
Spring line cleats	X	X	X
Cockpit toe rails	X	X	X
Stbd. fish box cushion	X	X	X
Aft facing seat w/cushion	X	X	X
2 Automatic bilge pumps	X	X	X
2 Battery storage compartments	X	X	X
240 gallon aluminum gas tank capc.			
1-150 gallon tank, 1-90 gallon tank	X		X
150 gallon aluminum gas tank capc.		X	
Power steering		X	
Hydraulic steering	X		X
Hydraulic trim tabs	X	X	X
NMMA approved	X	X	X
Windlass wiring	X	X	X
International lighting	X	X	X
Basic flotation	X	X	X

	250	251	253G
<b>FISHING</b>			
Non-skid fiberglass liner	X	X	X
Self-bailing cockpit w/4 floor drains	X	X	X
Vertical rod storage holders		4	
Lockable storage w/2 trays under helm sink	X	X	X
Lockable 2 drawer tackle storage under companion chair	X	X	X
Dry storage under aft facing seat	X	X	X
38 qt. insulated ice box behind companion chair w/ob drain	X	X	X
192 qt. insulated fish box behind helm chair w/ob drain	X	X	X
104 qt. insulated recirculating livewell/fish box behind comp. chair w/ob drain	X	X	X
Cockpit sink w/ob drain & spray nozzle	X	X	X
Horizontal rod racks	X	X	X
4 Flush mounted rod holders	X	X	X
2 Insulated aft deck wells w/ob drain	X		
Fold-down motor well bulkhead	X		
Washdown pump w/hose	X	X	X
5 foot aft deck fish box	X	X	X

### FACTORY OPTIONS

	250	251	253G
<b>GENERAL</b>			
Tilt steering	X		X
Deluxe helm chairs	X	X	X
Compass	X	X	X
Hardtop w/radio box	X	X	X
Hardtop rod holders	X	X	X

	250	251	253G
<b>HARDTOP</b>			
Hardtop spreader lights	X	X	X
Outrigger kit 15 feet (gunwale mount)	X	X	X
Outrigger kit 15 feet (hardtop mount)	X	X	X
Outrigger kit 18 ft. (Lee Jr., cabin side mount)	X	X	X
Portable head	X	X	X
Head w/deck pump out	X	X	X
Fiberglass bow pulpit	X	X	X
Chair gimbal	X	X	X
Cockpit bolsters	X	X	X
Swim platform w/ladder	X	X	X
Transom width swim platform w/ladder	X		X
Aft cushion seat			X
Aft cushion seat w/back	X		
YAMAHA/OMC/MERC binnacle control	X		X
Galvanic isolator—requires dockside power	X	X	X
Dockside power	X	X	X
Battery select switch	X	X	X
Lower berth filler cushions	X	X	X
Folding cabin rod racks for 6 rods	X	X	X
Windshield wiper (port)	X	X	X
125 gallon diesel gas tank capc.			X

	250	251	253G
<b>CANVAS</b>			
Folding top & side curtains	X	X	X
Drop curtain	X	X	X
Helm station cover	X	X	X
Covers for pedestal chairs	X	X	X
Hardtop curtains	X	X	X



▲ Cabin interior



▲ Helm with aft facing seat



▲ Starboard fish box



▲ Head enclosure



▲ Cabin interior, berth raised



▲ Cabin galley (starboard)



## STANDARD FEATURES

### CABIN

Recessed, non-skid walkway around entire cabin  
 Forward hatch w/seat cushions  
 2 Fixed front windows  
 2 Sliding side windows w/screens  
 Headliner  
 Bow compartment rope locker  
 Galley cabinets, starboard  
 Sink w/pressurized water system  
 Alcohol stove  
 Refrigerator  
 Table  
 Head enclosure w/lamp  
 Lamps in cabin  
 Starboard side storage shelves  
 Fabric-covered foam berth cushions  
 Underberth storage compartment  
 Forward storage compartment  
 Hanging locker  
 Lockable door  
 Vee berth forward  
 Upper berth

### FLYING BRIDGE

Stainless steel flybridge access ladder  
 w/4 integrated vertical rod holders

Stainless steel steering wheel w/tilt  
 Stainless steel horn  
 Compass mount pad  
 Covered instrument panel  
 Pedestal chairs  
 Helm & companion side shelves  
 Drink holders  
 Lockable helm station radio box  
 Bridge aft facing seat w/cushion  
 Spreader light  
 Storage under bridge aft facing seat

### COCKPIT & DECK

Stainless steel, through-bolted deck hardware  
 Heavy duty gunwale molding  
 Duratrim maintenance-free trimwork  
 Stainless steel bow rail  
 Fiberglass bow pulpit w/anchor davit  
 Forward anchor locker w/rope storage  
 Cockpit lights  
 Spring line cleats  
 Cockpit toe rails  
 Fish box cushions  
 2 Automatic bilge pumps  
 202 gallon aluminum gas tank capc.  
 1-150 gallon tank, 1-52 gallon tank  
 Battery isolator  
 3 Heavy-duty batteries

Battery select switches  
 41 gallon water tank  
 Hydraulic steering  
 Hydraulic trim tabs  
 Integrated outboard mounting system  
 w/swim platform and ladder  
 NMMA approved  
 Windlass wiring  
 International lighting  
 Basic flotation  
 Factory rigging

### FISHING

Non-skid fiberglass liner  
 Self-bailing cockpit w/4 floor drains  
 100 qt. portside insulated ice box w/ob drain  
 215 qt. starboard insulated fish box w/ob drain  
 40 gal. insulated, oval aft deck box w/30 gal. raw  
 water livewell capacity  
 Transom door  
 Aft deck lift out box  
 Horizontal rod racks  
 Transducer mounting flats  
 4 Flush mounted rod holders  
 Washdown pump w/hose

## FACTORY OPTIONS

### GENERAL

Outrigger kit 18 ft. (Lee Jr., cabin side mount)  
 Aft cushion seat  
 YAMAHA/OMC/MERC dual binnacler control  
 Folding cabin rod racks for 6 rods  
 Air conditioning  
 Shower  
 Portable head  
 Head w/deck pump out  
 Marine head w/holding tank, pump out  
 Hot water heater  
 Dockside power  
 Cockpit bolsters  
 Gunwale mounted fresh water system  
 Battery charger system  
 Stereo cassette system  
 Alcohol/electric stove



### CANVAS

Folding top & side curtains  
 Drop curtain  
 Helm station cover  
 Covers for pedestal chairs

26' Walkaround Cabin


# Atlantic 26

FLYBRIDGE




## 260 ATLANTIC Outboard

Center Line Length	26'11"
Length Overall (w/pulpit)	28'11"
Beam Amidships	9'3"
O/B Shaft Length	25"
Transom Width	8'5"
Hull Draft	19"
Bridge Clearance	8'10"
Recommended Maximum H.P.	400 h.p.
Weight	5950 lbs.



28' Walkaround Cabin

# Marlin 28




▲ Cockpit forward

280 MARLIN Outboard	
Center Line Length	28'
Length Overall (w/pulpit)	32'7"
Beam Amidships	10'7"
O/B Shaft Length	25"
Transom Width	9'6"
Hull Draft	18"
Bridge Clearance (add 21" w/hardtop)	8'3"
Recommended Maximum H.P.	500 h.p.
Weight	7000 lbs.



▲ Integrated outboard mounting system



- Anchor locker
- Forward berths
- Galley
- Head/shower
- Tackle storage
- Aft cabin (under)
- Tackle drawers
- Tackle station
- 275 qt. fish box
- 300 gal. gas tank
- 40 gal. fish box/livewell
- Transom door
- Integrated swim platform



▲ Helm station



▲ Aft livewell/fish box




▲ Port side fish box and storage



▲ Starboard tackle station



▲ Enclosed head with shower



▲ Cabin galley and aft berth



▲ Cabin interior

## STANDARD FEATURES

### CABIN

Recessed, non-skid walkway around entire cabin  
 Forward hatch with cushion seats  
 2 Fixed front windows  
 2 Sliding side windows w/screens  
 Headliner  
 Vee berths forward w/fabric covered cushions, side bolsters  
 Underberth storage  
 Aft berth, double sleeper w/fabric covered cushions  
 Aft berth window w/screen  
 Aft berth rod storage  
 Port side galley with sink  
 41 gallon fresh water system  
 Portside galley cabinets, storage  
 Refrigerator  
 Microwave oven  
 Alcohol electric stove  
 Forward, removable table  
 Enclosed head area w/sink and lamp  
 Manual head, macerator, holding tank and pump out  
 Shower  
 Stereo cassette system  
 Hot water heater  
 Cabin reading lamps

Cabin lamps  
 10 Rod racks  
 2 Side storage shelves  
 Lockable door w/screen and companionway hatch  
 Dockside power  
 Battery charger system  
 Battery isolator  
 4 Heavy-duty batteries  
 Battery select switches  
 Dynaplate

### COCKPIT & DECK

Stainless steel, through-bolted deck hardware  
 Heavy-duty gunwale molding  
 Duratrim maintenance-free trimwork  
 Stainless steel bow rail  
 Forward anchor locker w/rope storage  
 Bow pulpit w/anchor davit  
 Ventilated windshield  
 Windshield wiper, port & stbd.  
 Stainless steel steering wheel  
 Stainless steel horn  
 Compass  
 Covered instrument panel & switch panel  
 Deluxe helm and companion chairs  
 Helm and companion footrests  
 Helm and companion side shelves  
 Drink holders  
 Companion grab rails

Lockable helm radio box  
 Cockpit lights  
 Spring line cleats  
 Fish box and tackle station cushions  
 2 Automatic bilge pumps  
 Battery storage compartments  
 300 gal. aluminum gas tank capacity  
 Hydraulic steering  
 Hydraulic trim tabs  
 Integrated outboard mounting system w/swim platform and ladder  
 NMMA approved  
 International lighting  
 Basic flotation  
 Cockpit bolsters

### FISHING

Non-skid fiberglass liner  
 Self-bailing cockpit w/4 floor drains  
 Lockable storage under helm and companion chairs  
 275 qt. insulated fish box w/ob drain behind companion chair  
 Tackle station behind helm chair w/fresh water sink insulated bait box w/ob drain, lockable drawers  
 Transom door  
 Aft deck lift out box  
 4 Flush mounted rod holders

40 gal. insulated, oval aft deck box w/30 gal. raw water livewell capacity  
 Washdown system and hose w/livewell back-up capability  
 Horizontal rod racks  
 Transducer mounting flats  
 Understep storage  
 Cockpit toe rails  
 Fighting chair reinforcement

## FACTORY OPTIONS

### GENERAL

Tilt steering  
 Hardtop w/radio box  
 Hardtop rod holders  
 Hardtop spreader lights  
 Radar arch  
 Outriggers 24 ft. (Lee Sr., fold-down)  
 Outriggers 18 ft. (Lee Jr., cabin side mount)  
 Aft cushion seat  
 Air conditioning  
 Generator

### CANVAS

Radar arch top and side curtains w/boot  
 Drop curtain  
 Helm station cover  
 Hardtop front and side curtains

**FACTORY OPTIONS** Customize your boat with factory options designed specifically for your model. See the listing under each boat series for available options.



▲ Hardtop plus options: front and side curtains, rodholders, spreader lights



▲ Flybridge folding top and side curtains



▲ Walkaround series vista top



▲ Tournament series vista top

## Grady-White seaworthy safety is built in.

Automobile-type adjustable seats have integrated hand holds.

Duratrim trimwork needs no oiling, sanding, or varnish.

Grab rails are at your fingertips.

Deck hardware is through-bolted 316 stainless steel, heavily backed and secured with locking nuts.

Through-bolted rod holders are chrome over bronze.

PVC tubes for easy, protected rigging.

Rod racks are tough, weather resistant polyethylene.

Hull and liner are joined to deck with water-sealing gasket, stainless steel screws and blind-side stainless fasteners, then sealed with silicone sealant. Stainless screws secure the heavy-duty gunwale molding.

Though not required in boats over 20 feet, all Grady-Whites have foam sprayed into the hull, deck, and liner for level (190) or basic flotation. This foam also adds strength, thermal insulation, and deadens sound.

Safety glass windshields are ventilated for comfort.

Foam insulated fish boxes and iceboxes are above water level and drain overboard instead of into the bilge.

Exterior boxes have gutter systems to direct flow of water.

Liner is bonded to hull with fiberglass.

Solid, 100% hand laid hulls and decks provide uniform laminate structure, strength, and durability.

Stringer systems are encapsulated in resin and fiberglassed to the hull. Non-skid innerliners are also fiberglassed to the stringer system for a unitized structural grid.

Water is directed overboard at rest or underway by non-skid, self-bailing cockpits. All scuppers drain overboard. Inspection ports are watertight. All Grady-Whites have automatic bilge pumps, with two pumps on all cabin boats over 20 feet. Our dedication to self-bailing cockpit integrity is unparalleled.

© 1991 Grady-White Boats

Visit your Grady-White Dealer:

GRADY-WHITE BOATS P.O. Box 1527, Greenville, NC 27835 (919) 752-2111

Grady-White Boats, Inc. reserves the right to discontinue models or change prices, specifications, materials, equipment, colors, or design at any time without incurring obligation. Weight and dimensions of all models are approximate and may vary.

\$2.00



Photography by Jerry Imber