

281 CE

28' Coastal Explorer



281 CE Main Specifications

Beam Amidships	9'4" (2.84 m)
Center Line Length w/o Engines	27'7" (8.41 m)
Bridge Clearance	7'11" (2.41 m)
Weight w/o Engines	5650 lb. (2563 kg)
Cockpit Depth	22" (0.56 m)
Hull Draft	19" (0.48 m)
Transom Deadrise	16 degrees (SeaV ² ® progression)
Maximum HP	600 (447 kW)
Fuel Capacity - Standard	160 gal. (606 l)

281 CE Features & Options

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 2600 GPH) (9842 LPH)

Basic flotation

Bow grab rail - low profile 316 grade stainless steel

Composite stringer system & transom - water impervious

Fire extinguisher holder

Cockpit & Deck

100% hand laid SeaV² hull & deck

Anchor windlass w/rode, line, and remote switches at helm & windlass

Batteries (2) w/battery select switch (1) & battery charger (1)

Casting platform insert w/cushion

Cleats - flush mount (pull up)

Cockpit lights - blue LED

Deck hardware - 316 grade stainless steel through-bolted

Drink holders - stainless steel (8)

Nonskid fiberglass liner

Self-bailing cockpit w/cockpit drains (2)

Stainless steel through-hull fittings

Stern grab rail - low profile 316 grade stainless steel

Livewell - 18-gallon (68 l) aft insulated raw water livewell w/light & ob drain (500 GPH pump) (1893 LPH)

Rod holders - aft (4), amidships (4)

Rod storage racks - horizontal (2)

Rubrail - high density PVC w/stainless steel insert

Seating - aft bench seat w/port & starboard swing-open, walk-through backrests & removable center backrest

Seating - port & starboard bow cushioned seating w/electromechanically adjustable backrests

Engine flush system w/hose attachment aft (one per engine)

Factory engine pre-rigging

Fish box - 70-qt (66.2 l) forward port & starboard insulated fish box w/ob drain (2)

Forward bolsters

Hydraulic trim tabs w/indicator & auto retract

International lighting

Console

Accessory outlet - 5V duplex USB port

Accessory outlet - 12V (1)

Compass

Console grab rail

Cooler - 296-qt (280.1 l) cooler under forward console seat w/removable divider

Drink holders - stainless steel (2)

Footrest - molded console footrest

Flush mount electronics area

Elite Lean Bar

Knife & pliers holders

Livewell - 38-gal. (144 l) insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)

Painted rod holders (4)

Rigging station - freshwater shower (recessed), cutting board & bait locker

Seating - Command Elite helm chairs (2)

Sport Deck – electromechanically folding platform w/boarding ladder

Stereo system w/waterproof touch screen display, AM/FM tuner, Wi-Fi & Bluetooth® connectivity; speakers w/LED lights - bow (2), cockpit (2), T-top (2)

Stern eyes - 316 grade stainless steel

Storage - port & starboard under seat drop in boxes

Storage - port boarding ladder storage

Storage - forward anchor locker w/rode storage

Storage - lockable storage drawers (2)

Water tank - 18-gallon (68.1 l) fresh water

Head - lockable console w/lighting, bulk storage, composite cherry & holly sole & marine head w/electric flush, 7.5-gallon (28 l) holding tank w/macerator, overboard discharge & deck pump out

Seating - molded forward console lounge seat w/cushion & backrest

Steering - Helm Master® EX w/Integrated Digital Electric Steering (does not include joystick)

Steering wheel - 316 grade stainless steel w/knob

T-top - fiberglass w/painted aluminum frame, storage net, LED spreader lights, rod holders (4), tri-colored (red, blue, white) LED recessed lights (3), radar flat & outrigger plates

Window - tinted frameless glass

Windshield - scratch resistant acrylic integrated w/T-top

Windshield wiper w/washer

Storage - lockable storage drawers (3)

Storage - lockable w/tackle trays (6)

Storage - port net storage area

Washdown - pressurized raw water w/hose

OPTIONAL FEATURES

Options

Bow table package

Casting platform extension insert w/cushion

CE certification package (European Conformity)

Hull color - Celestial Blue, Coastal Fog, Ocean Mist, or Sea Glass gelcoat

Lighting - underwater blue LED (2)

Outrigger kit - 18-ft. (5.5 m) crank hardtop mounted stainless steel outriggers w/carbon fiber poles

Ski pylon

Steering - Helm Master® EX Full Maneuverability w/autopilot

SureShade® electrically retractable cockpit shade w/Sunbrella® canvas (oyster)

T-top color - underside of fiberglass T-top (requires matching gelcoat hull color option)

Trolling motor pre-rig - swivel mounting bracket w/quick release, head stabilizer, 36V batteries (3), and 20-amp battery charger (trolling motor not included)

Canvas Options

Easy up bow shade (ivory mesh)

T-top wing curtains (ivory)
