Fisherman 236

23' Center Console



Fisherman 236 Main Specifications

Center Line Length w/o Engines23'7" (7.18 m) (swim platforms not included)LOA w/Swim Platforms257" (7.80 m)Bridge Clearance8' (2.44 m)Cockpit Depth25" (0.64 m)Hull Draft18.5" (0.47 m)Transom Deadrise20 degrees (SeaVer progression)Maximum HP350 (261 kW)Fuel Capacity - Standard100 gal (379 l)Passenger Capacity10Weight w/o Engines3900 lb. (1769 kg)	Beam Amidships	8'6" (2.59 m)
Bridge Clearance8' (2.44 m)Cockpit Depth25" (0.64 m)Hull Draft18.5" (0.47 m)Transom Deadrise20 degrees (SeaVerright progression)Maximum HP350 (261 kW)Fuel Capacity - Standard100 gal (379 l)Passenger Capacity10	Center Line Length w/o Engines	23'7" (7.18 m) (swim platforms not included)
Cockpit Depth25" (0.64 m)Hull Draft18.5" (0.47 m)Transom Deadrise20 degrees (SeaV=> progression)Maximum HP350 (261 kW)Fuel Capacity - Standard100 gal (379 l)Passenger Capacity10	LOA w/Swim Platforms	25'7" (7.80 m)
Hull Draft18.5" (0.47 m)Transom Deadrise20 degrees (SeaV** progression)Maximum HP350 (261 kW)Fuel Capacity - Standard100 gal (379 l)Passenger Capacity10	Bridge Clearance	8' (2.44 m)
Transom Deadrise 20 degrees (SeaVer progression) Maximum HP 350 (261 kW) Fuel Capacity - Standard 100 gal (379 l) Passenger Capacity 10	Cockpit Depth	25" (0.64 m)
Maximum HP 350 (261 kW) Fuel Capacity - Standard 100 gal (379 l) Passenger Capacity 10	Hull Draft	18.5" (0.47 m)
Fuel Capacity - Standard 100 gal (379 l) Passenger Capacity 10	Transom Deadrise	20 degrees (SeaV2® progression)
Passenger Capacity 10	Maximum HP	350 (261 kW)
	Fuel Capacity - Standard	100 gal (379 l)
Weight w/o Engines 3900 lb. (1769 kg)	Passenger Capacity	10
	Weight w/o Engines	3900 lb. (1769 kg)

Fisherman 236 Features & Options

STANDARD FEATURES

Safety

Automatic bilge pump (1500 GPH) (5678 LPH)	Composite stringer system & transom - water impervious
Basic flotation	Nonskid fiberglass liner
Bow grab rail - low profile 316 grade stainless steel	Self-bailing cockpit w/cockpit drains (4)
Cockpit toe rails	Stainless steel through-hull fittings
Cockpit & Deck	
100% hand laid SeaV² hull & deck	Livewell - 15.5-gallon (58.7 l) aft insulated raw water
Batteries (2) w/battery select switch (1)	livewell w/light, full column distribution inlet & ob drain (800 GPH pump) (3028 LPH)
Cleats - flush mount (pull up)	Rod holders - cockpit (4)
Cockpit bolsters	Rod storage racks - horizontal (6)
Cockpit freshwater shower (recessed)	Rubrail - high density PVC w/stainless steel insert
Cockpit lights - blue LED	Seating - lean bar w/backrest, flip-up bolster, knife & pliers holder (1), tackle trays, lockable storage, rod holders (4) & fire extinguisher holder
Deck hardware - 316 grade stainless steel through-bolted	

Drink holders - stainless steel (8)	Seating - foldaway aft bench seat w/cushion
Engine flush system w/hose attachment aft	Seating - port & starboard cushioned bow seating
Factory engine pre-rigging	w/forward facing foldaway bolstered backrest (2)
Fish box - 160-qt. (151.4 I) aft insulated box w/ob drain	Stereo system w/waterproof touch screen display, AWFM tuner & Wi-Fi & Bluetooth® connectivity; speakers w/LED
Fish box - 89-qt. (84.2 I) forward port & starboard insulated fish box	lights - bow (2), helm (2)
w/ob drain (2)	Stern eyes - 316 grade stainless steel
Forward bolsters	Storage - forward anchor locker w/rode storage
Hydraulic trim tabs w/indicator & retractor	Swim platforms - aft port & starboard extensions w/storage
International lighting	& starboard ladder
	Transom door - fiberglass
	Washdown - pressurized raw water w/hose
	Water tank - 10-gallon (38 l) freshwater
	Waler lank - 10-gallon (Sol) neshwaler
Console	Water tank - 10-gallon (301) ireshwater
Console Accessory outlet - 5V duplex USB port	Seating - molded forward console seat w/cushion &
	Seating - molded forward console seat w/cushion & backrest
Accessory outlet - 5V duplex USB port	Seating - molded forward console seat w/cushion &
Accessory outlet - 5V duplex USB port Compass Cooler/ice box - 29-qt. (27 I) insulated storage box under forward console seat	Seating - molded forward console seat w/cushion & backrest Steering - Helm Master® EX w/Integrated Digital Electric
Accessory outlet - 5V duplex USB port Compass Cooler/ice box - 29-qt. (27 I) insulated storage box under forward console seat Drink holders - stainless steel (2)	Seating - molded forward console seat w/cushion & backrest Steering - Helm Master® EX w/Integrated Digital Electric Steering (does not include joystick) Steering wheel - 316 grade stainless steel w/knob T-top - fiberglass w/painted aluminum frame, storage net,
Accessory outlet - 5V duplex USB port Compass Cooler/ice box - 29-qt. (27 I) insulated storage box under forward console seat	Seating - molded forward console seat w/cushion & backrest Steering - Helm Master® EX w/Integrated Digital Electric Steering (does not include joystick) Steering wheel - 316 grade stainless steel w/knob T-top - fiberglass w/painted aluminum frame, storage net, LED spreader lights, rod holders (4), tri-colored (red, blue,
Accessory outlet - 5V duplex USB port Compass Cooler/ice box - 29-qt. (27 I) insulated storage box under forward console seat Drink holders - stainless steel (2)	Seating - molded forward console seat w/cushion & backrest Steering - Helm Master® EX w/Integrated Digital Electric Steering (does not include joystick) Steering wheel - 316 grade stainless steel w/knob T-top - fiberglass w/painted aluminum frame, storage net, LED spreader lights, rod holders (4), tri-colored (red, blue, white) LED recessed lights (3), radar flat & outrigger plates
Accessory outlet - 5V duplex USB port Compass Cooler/ice box - 29-qt. (27 I) insulated storage box under forward console seat Drink holders - stainless steel (2) Flush mount electronics area	Seating - molded forward console seat w/cushion & backrest Steering - Helm Master® EX w/Integrated Digital Electric Steering (does not include joystick) Steering wheel - 316 grade stainless steel w/knob T-top - fiberglass w/painted aluminum frame, storage net, LED spreader lights, rod holders (4), tri-colored (red, blue,

OPTIONAL FEATURES

Options

Anchor windlass w/rode, line, and bow roller Casting platform insert w/cushion	Outrigger kit - 18-ft. (5.5 m) crank T-top mounted stainless steel outriggers w/carbon fiber poles
Casting platform insert w/cushion	Seating - Deluxe lean bar w/backrest, lockable storage, rod
CE certification package (European Conformity)	holders (4), 25-gal. (95 l) insulated raw water livewell (under seat) w/light, full column distribution inlet & ob drain
Cockpit step (port)	(800 GPH pump) (3028 LPH)
Head - portable w/deck pump out	Ski pylon
Head - portable w/in-line macerator, overboard discharge & deck pump out	Steering - Helm Master® EX w/Full Maneuverability

Hull color - Celestial Blue, Coastal Fog, Ocean Mist, or Sea Glass gelcoat

Table - fiberglass bow table (requires casting platform insert)

T-top color - underside of fiberglass T-top (requires matching gelcoat hull color option)

Windshield wiper

Canvas Options

Easy up bow shade (ivory mesh)

T-top wing curtains (ivory)