

Thank you!

Your custom Marlin 300 build is now en route to your local Grady-White dealer who will be in touch with you soon!



Your Marlin 300

SELECTED OPTIONS

Hull Color

Celestial Blue GELCOAT (Optional)

Optional Features

Hull color - Celestial Blue, Coastal Fog, Ocean Mist, or Sea Glass gelcoat-

Sun platform insert w/cushion

Air conditioning - 8000 BTU in cabin

Painted hardtop top mounted rod holders (6)

Hardtop color - underside of fiberglass hardtop (requires matching gelcoat hull color option)

Hull color - Celestial Blue, Coastal Fog Blue, Ocean Mist Blue, Sand, or Sea Glass gelcoat

Seating - companion bench seat (replaces Command Elite companion chair)

Rod storage - folding cabin rack (4)

Power

350 Yamaha Four-Stroke - Twin (Classic White)

MAIN SPECIFICATIONS

Beam Amidships	10'7" (3.23 m)
Center Line Length w/o Engines	30'6" (9.30 m)
Bridge Clearance	9'9" (2.97 m)
Weight w/o Engines	8221 lb. (3729 kg)
Cockpit Depth	29" (0.74 m)
Hull Draft	23" (0.58 m)
Transom Deadrise	19.5 degrees (<i>SeaV[®] progression</i>)
Maximum HP	700 (522 kW)
Fuel Capacity - Standard	282 gal. (1067 l)

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 2600 GPH) (9842 LPH)
Bow rail - 316 grade stainless steel
Composite stringer system & transom - water impervious
Nonskid recessed walkaround
Stainless steel through-hull fittings

Basic flotation
Cockpit toe rails
Nonskid fiberglass liner
Self-bailing cockpit w/cockpit drains (4)

Cabin

Accessory outlet - 5V duplex USB port
Berth - forward vee berth
Door - lockable w/screen & companionway hatch
Galley - port galley w/sink, light & Corian® cutting board

Berth - aft double berth
Carbon monoxide detector
Forward hatch - low profile acrylic hatch w/screen & shade
Head - enclosed head area w/sink, shower, lamp & VacuFlush® marine head w/freshwater supply, 10-gallon (38 l) holding tank, overboard discharge & deck pump out

Lighting - dome (2)

Lighting - reading (3)

Microwave oven

Mirror

Refrigerator - stainless steel

Rod storage - aft berth horizontal (4)

Rod storage - forward horizontal (6)

Stereo system w/waterproof touch screen display, AM/FM tuner, Wi-Fi & Bluetooth® connectivity & remote unit; speakers w/LED lights - helm (2), cabin (2), cockpit (2)

Storage - galley cabinets & counter

Storage - under berth compartments

Storage nets

Stove - electric glass top

Table - cherry

Teak & holly sole

Water heater - 6-gallon (22.7 l), 120V

Water tank - 32-gallon (121.1 l) freshwater

Windows - tinted frameless acrylic w/shade

Cockpit & Deck

100% hand laid SeaV² hull & deck

Accessory outlet - 5V duplex USB port

Accessory outlet - 12V

Anchor windlass w/rode, line, and remote switches at helm & windlass

Batteries (4) w/battery select switches (one per engine) & charger system (1)

Bow pulpit w/roller

Cockpit bolsters

Cleats

Cockpit freshwater shower w/hot & cold mixer

Cockpit lights - blue LED

Cockpit side door - port w/boarding ladder

Companion grab rail

Deck hardware - 316 grade stainless steel through-bolted

Dockside power w/galvanic isolator

Drink holders - stainless steel (9)

Engine flush system w/hose attachment aft (one per engine)	Factory engine pre-rigging
Fighting chair reinforcement	Fish box - 290-qt. (274.4 l) aft insulated fish box w/light & ob drain
Flush mount electronics area	Footrests - helm & companion (fold down)
Freshwater level indicator	Fuel capacity - 282 gallons (141-gallon tank, 141-gallon tank) (1067 l)
Hardtop w/painted aluminum frame, radio box, storage nets, spreader lights, side mounted rod holders (4), outrigger plates & drop, front & side curtains (ivory)	Hydraulic trim tabs w/indicator & retractor
	Integrated outboard mounting system w/swim platform & ladder
	International lighting
Livewell - 32-gallon (121.1 l) port insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)	Rigging station - freshwater sink, insulated bait box w/ob drain & lockable drawers
Rod holders - cockpit (4)	Rod storage racks - horizontal (3)
Rubrail - high density PVC w/stainless steel insert	Seating - Command Elite helm & companion chairs (2) horizontally & vertically adjustable w/deluxe cushioning & flip-up bolster
Seating - foldaway aft bench seat w/cushion	Seating - foredeck cushions
Seating - port livewell cushion	Seating - starboard rigging station cushion
Steering - Helm Master® EX w/Integrated Digital Electric Steering (does not include joystick)	Steering wheel - 316 grade stainless steel w/knob
Storage - aft deck lift out box	Stern eyes - 316 grade stainless steel
Storage - lockable storage under helm & companion seats	Storage - forward anchor locker w/rode storage
Transducer mounting flats	Storage - under step compartment
Washdown - freshwater	Transom door - fiberglass
Water tank - 32-gallon (121.1 l)	Washdown - pressurized raw water w/hose
Windshield wipers w/starboard washer	Windshield - tempered glass w/side vents

Options

Air conditioning - 8000 BTU in cabin	Bow thruster
CE certification package (European Conformity)	Generator - 5kW diesel, 12-gallon (45.4 l) fuel capacity
Hardtop color - underside of fiberglass hardtop (requires matching gelcoat hull color option)	Hull color - Celestial Blue, Coastal Fog, Ocean Mist, or Sea Glass gelcoat
International AC electrical conversion - 220V (50Hz)	Lighting - underwater blue LED (3)
Outrigger kit - 18-ft. (5.5 m) crank hardtop mounted stainless steel outriggers w/carbon fiber poles	Painted hardtop top mounted rod holders (6)
Seating - companion bench seat (replaces Command Elite companion chair)	Rod storage - folding cabin rack (4)
	Steering - Helm Master® EX w/Full Maneuverability
	TV - 19" LED flat screen w/HDMI inlet